TRANSMITTAL OF APPEAL BRIEF			Large	Entity)		Docket No. DE3-0214
In Re Application	Of: Recny T. Sebast	ian et al.				
Application No.	Filing Date	Examiner		Customer No.	Group Art Unit	Confirmation No.
09/989,486	November 20, 2001	Brian J. Broadhead	a a		3661	9883
Invention: Rear	Steering Sensor Algor	rithm for Four-Wheel Ste	ering	ystems	<u> </u>	<u> </u>
						RECEIVED CENTRAL FAX CEI
			: :			SEP 1 9 20
		COMMISSIONER FO	PAT	S ENTS:		
ransmitted herew	ith is the Appeal Brie	f in this application, with	respe	to the Notice	of Appeal filed	on:
he fee for filing th	is Appeal Brief is:	\$500.00				
☐ A check in t	he amount of the fee	la audice d				
C A Check in th	ne amount of the fee	is enclosed.				
☐ The Director	r has aiready been at	uthorized to charge fees	in this	application to a	Deposit Accou	nt.
The Director	r is hereby authorized	to charge any fees which	: 			· .
	it to Deposit Account	No. <u>06-1130</u>		enclosed a d		f this sheet.
☐ Payment by	credit card. Form PT	O-2028 is stropped				
						l 4 b -
included or	this form. Provide	form may become put credit card information	and	wait care info	mation anouic on PTO-2038.	i not de
	Signature			Dated: Septe	mber 19, 2006	
hilmore H. Colbus						
legistration No. 35. antor Colburn LL				I hereby certify	that this corre	espondence is being
5 Griffin Road Sou loomfield, CT 060				deposited with souting	ihe United States e as first class	Postal Service with mail in an envelope
ACOC SULVAN		3000069 061130			mmissioner for P. 2313-1450" [37 CF	atenta, P.O. Box 1480, R 1.8(a)] on
		.00 DA	:	(Date)	•	
,				Signature	of Person Mailing	Correspondence
				Typed or Printed	Name of Person M	ailing Correspondence
						P80LARGE/REVD8

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:	REENY T. SEBASTI	LANET AL.)
SERIAL NUMBER:	09/989,486	4.0) Before the Board of Appeals
FILED:	November 20, 2001)) Appeal No.)
FOR:	REAR STEERING S DIAGNOSTIC ALG FOR FOUR-WHEEL SYSTEMS	ORITHM)))

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

APPEAL BRIEF

A Petition for Extension of Time (2 months) is siled herewith.

REAL PARTY IN INTEREST

The real party in interest is DELPHI TECHNOLOGIES, INC., the assignee of recorded dated 11/20/2001, reel / frame 012317 / 0411

RELATED APPEALS AND INTERFERENCES

There are no related appeals and interferences.

STATUS OF CLAIMS

Claims 2 – 6 and 20 have been allowed.

Claims 7 - 14 stand objected to.

Claim 16 has been cancelled.

Claims 1, 15, and 17 - 19 stand rejected.

The rejection of claims 1, 15, and 17 - 19 is herein appealed.

PAGE 4/14* RCVD AT 9/19/2006 3:52:48 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-5/6 * DNIS:2738300 * CSID:8602860115 * DURATION (mm-ss):02-24

STATUS OF AMENDMENTS

The Amendment After filed April 28, 2006 has been considered as indicated in the Advisory Action dated May 15, 2006, whereby the status of the claims was corrected, and, is now as indicated above.

SUMMARY OF CLAIMED SUBJECT MATTER

A concise explanation of the subject matter defined in each of the independent claims 1, 15, and 17 - 19 involved in the appeal is provided below:

Claims 1, 15, 17 – 19 are directed generally to validating a rear steering angle of a vehicle, with claim 1 reciting a method, claim 15 reciting a storage medium, claim 17 reciting a steering system, and claim 18 reciting a controller for a rear-wheel steering system.

Each of these claims 1, 15, 17 – 19 includes the common recitations discussed below.

The "receiving a plurality of signals indicative of said rear steering angle", is described in an exemplary embodiment as "the rear-wheel angle is measured by a real-wheel-angle sensor that produces output signals ...", see paragraph 0018 of the application.

The "checking at least one of said plurality of signals to determine if it falls within a valid range" is described in an exemplary embodiment as ""[t]he diagnostics implemented in this algorithm determine whether signal-1 and signal-2 are each in a specified range ...", see paragraph 0018 of the application.

The "correlating at least a first signal of said planality of signals with at least a second signal of said plurality of signals to determine if either said first signal or said second signal is invalid", is described in an exemplary embodiment as "[t]he algorithm also checks the correlation between signal-1 and signal 2 to determine whether the signals are shorted to each other or otherwise incongruent ...", see paragraph 0018 of the application.

The "signaling a rejection if any of said plurality of signals is found to be invalid", is described in an exemplary embodiment as "[i]f signal-2 is not within the valid range ... a function 73 produces a signal indicative of a rear sensor

p.6

signal-2 out-of-range fault...", see paragraph 0021 of the application, and "[i]f signal-1 is ... a function 92 groduces a signal indicative of a not within the valid range ... rear sensor signal-1 out-of-range fault...", see paragraph 0028 of the application.

CANTOR COLBURN LLP

Claim 17 further recites "at least one actuator intoperable communication with a pair of rear wheels", which is described in an exemplary embodiment as "the rear steering mechanism 16 further comprises a mechanism.", see paragraph 0014 of the application

The above exemplary embodiments are discussed with respect to the aforementioned independent claims by was of example only and are not intended to in any way limit the scope of these claims.

GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Claims 1, 15, and 17 - 19 have been rejected as being allegedly unpatentable over Eguchi. The rejection of claims 1, 15, and 17 - 19 as being allegedly unpatentable over Eguchi is to be reviewed on appeal.

ARGUMENT

In the Final Office Action dated March 1, 2006 the Examiner cites column 1, lines 18 - 45 of Eguchi, which is the Description of Background Art, namely a discussion of Japanese Patent Application First Publication No. Showa 63-82875 published April 13, 1988. The Examiner states that Eguchi is deficient in that, it fails to teach, "signals a rejection if any of the plurality of signals is found to be invalid". The applicants agree. However, the cited reference is further deficient, in that it fails to teach "receiving a plurality of signals indicative of said rear steering angle", emphasis added, as recited by the claims on appeal.

More specifically Eguchi teaches, "in which an occurrence in failure of a steering angle sensor used in a power assisted control for the steering of front road wheels ...". see column 1, lines 21 - 24 of Eguchi, emphasis added! This is further supported in U.S. Patent No. 4,972,320 (which was previously submitted in an Information Disclosure Statement) which is the U.S. Patent corresponding to Espanese Patent Application First Publication No. Showa 63-82875 published April 13, 1988. The Examiner is incorrect in stating, "Eguchi discloses receiving a plurality of signals indicative of the *rear* steering angle...", page 2, section 5 of the Office Action dated September 13, 2005, emphasis added. Clearly, Eguchi's teaching with respect to a fight wheel steering assist system has no relevance to validating a rear steering angle as received by the claims on appeal.

For an obviousness rejection to be proper, the examiner must meet the burden of establishing a prima facie case of obviousness. In re line, 5 U.S.P.Q.2d 1596, 1598 (Fed. Cir. 1988). Establishing a prima facie case of obviousness requires that all elements of the invention be disclosed in the prior art. In Re Wilson, 165 U.S.P.Q. 494, 496 (C.C.P.A. 1970). Further, even assuming that all elements of an invention are disclosed in the prior art, an Examiner cannot establish obviousness by locating references that describe various aspects of a patent applicant's invention without also providing evidence of the motivating force which would have impelled one skilled in the art to do what the patent applicant has done. Ex parte Levengood, 28 U.S.P.Q. 1300 (Bd. Pat. App. Int. 1993). The references, when viewed by themselves and not in retrospect, must suggest the invention. In Re Skoll, 187 U.S.P.Q. 181 (C.C.P.A. 1975).

Section 103 sets out the test for obviousness determinations. It states, in pertinent part, that such determinations are to be made by consideration of

... the differences between subject matter sought to be patented and the prior art such that the subject matter as a whole would have been obvious at the time the invention was made to sperson having ordinary skill in the [pertinent] art.

In applying Section 103, the U.S. Court of Appeals for the Federal Circuit has consistently held that one must consider both the inversion and the prior art "as a whole," not from improper hindsight gained from consideration of the claimed invention. See, Interconnect Planning Corp. v. Feil, 227 U.S.P.Q. 543, 551 (Fed. Cir. 1985) and cases cited therein. According to the Interconnect court

[n]ot only must the claimed invention as a whole be evaluated, but so also must the references as a whole, so that their teachings are applied in the context of their significance to a technician at the time - a technician without our knowledge of the solution.

Id. Also critical to this Section 103 analysis is that understanding of "particular results" achieved by the invention. Id.

In response to the above argument the Examine stated in the Final Office Action dated March 1, 2006 that (1) "how the system operated is irrelevant to what axle the invention is installed on", (2) "the fact that Eguchi cites this invention as background of his invention of a rear wheel steering system is an implicit acknowledgement that the front wheel system of the background could be used of a rear wheel system", and (3) "when a vehicle is driven in reverse, the front wheels and rear wheels trade places so any vehicle with the system disclosed in the background of the invention would read on the current invention when the vehicle is driven in reverse.

Regarding (1) "how the system operates is irrelevant to what axle the invention is installed on". Which axle is important to the present invention as recited by the claims on appeal, as it is directed to "a rear steering angle of a vehicle". For most vehicles only the front wheels steer, however the present invention is directed to vehicles where the rear wheels also steer. This is an important limitation.

Regarding (2) "the fact that Eguchi cites this invention as background of his invention of a rear wheel steering system is an implicigacknowledgement that the front wheel system of the background could be used on a rear wheel system". More specifically. The Examiner is referring to the front while system of the Japanese Patent Application First Publication No. Shows 63-82875. There is simply no motivation to use the front wheel system of the Japanese Patent Application First Publication No. Showa 63-82875 on the rear wheels. In fact, Eguchi teaches that the front wheel system of the Japanese Patent Application First Publication No. Showa 63-82875 is not suitable for the rear wheels, see generally column 6, lines 17-57 of Eguchi. In light of these teachings, the only suggestion to install the front wheel system of the Japanese Patent Application First Publication No. Showa 63-82875 on the rear wheels is by the Examiner using the present invention, i.e., an improper hindsight rejection

Regarding (3) "when a vehicle is driven in reverse, the front wheels and rear wheels trade places so any vehicle with the system disclosed in the background of the invention would read on the current invention when the vehicle is driven in reverse". This is simply not true. The rear of the vehicle is the rear of the vehicle, whether it is traveling forward or in reverse. The physical configuration of the vehicle does not change because of the direction of travel.

RECEIVED
CENTRAL FAX CENTER

SEP 1 9 2006

For at least these reasons, claims 1 and 15 - 19 patentably defines over Eguchi.

CONCLUSION

In view of the foregoing, it is urged that the final rejection of claims 1 and 15-19 be overturned. The final rejection is in error and should be reversed.

The fee as set forth in 37 CFR § 41.20(b)(2) can be charged to Deposit Account No. 06-1130 maintained by Applicants' attorneys.

If there are any charges with respect to this Apreal Brief or otherwise, please charge them to Deposit Account No. 06-1130 maintained by Applicants' attorneys.

Respectfully submitted,
BUCKINGHAM ET AL.

CANTOR COLBURN LLP

.

Applicants'

By::

Ple Imore H. Colburn II Registration No. 35,101

Date:

September 19, 2006

Address:

55 Griffin Road South, Bloomfield, CT 06002

Telephone:

(860) 286-2929

Cust. No:

023413

CLAIM APPENDIX

Claim 1. A method for validating a rear steering angle of a vehicle, comprising: receiving a plurality of signals indicative of said rear steering angle; checking at least one of said plurality of signals to determine if it falls within a valid range;

correlating at least a first signal of said flurality of signals with at least a second signal of said plurality of signals to determine feither said first signal or said second signal is invalid; and

signaling a rejection if any of said pluratity of signals is found to be invalid.

Claim 2. A method for validating a rear steering angle of a vehicle, comprising: receiving a plurality of signals indicative of said rear steering angle; checking at least one of said plurality of signals to determine if it falls within a valid range;

correlating at least a first signal of said plurality of signals with at least a second signal of said plurality of signals to determine if either aid first signal or said second signal is invalid;

signaling a rejection if any of said plurality of signals is found to be invalid, wherein said correlating includes comparing said first signal with an expected value at about an inflection point of said second signal

- Claim 3. A method as defined in Claim 2, said correlating further comprising: adding a second rear-wheel angle offset corresponding to said inflection point to a signal corresponding to said second signal infresponse to said comparing.
 - Claim 4. A method as defined in Claim 3, said correlating further comprising: subtracting a center value from said second signal; and multiplying a result of said subtracting by a scale factor.

- Claim 5. A method as defined in Claim 3, further comprising: computing said expected value with reference to a look-up table.
- Claim 6. A method as defined in Claim 3, further comprising: computing said expected value by evaluating a continuous function.
- Claim 7. A method as defined in Claim 1, said correlating comprising: calculating a steering angle corresponding to one of said first signal and said second signal so as to create a calculated angle; and computing an expected value of the other of said first signal and said second signal in accordance with said calculated angle
- Claim 8. A method as defined in Claim 7, said correlating further comprising: comparing said expected value of said other of said first signal and said second signal with an actual value of said other of said first signal and said second signal.
- Claim 9. A method as defined in Claim 8, said correlating further comprising: determining that any of said plurality of signals is invalid if said expected value and said actual value are not substantially equivilent.
- Claim 10. A method as defined in Claim 7, wherein at least one of said calculating and said computing further comprises using a look-up table.
- Claim 11. A method as defined in Claim 7, wherein at least one of said calculating and said computing further comprises evaluating a continuous function.
- Claim 12. A method as defined in Claim 1, wherein said plurality of signals comprises a plurality of signal components of a single farrier signal.
- Claim 13. A method as defined in Claim 1, whirein said receiving further comprises providing a single sensor having two signal butputs.

Claim 14. A method as defined in Claim 1, wherein said checking further comprises:

comparing at least one of said plurality of signals with an upper limit; and comparing at least one of said plurality of signals with a lower limit.

Claim 15. A storage medium encoded with a machine readable computer program code comprising:

computer code for receiving a plurality of signals indicative of a rear steering angle;

computer code for checking at least one of said plurality of signals to determine if it falls outside a valid range and is invalid.

computer code for correlating at least a first signal of said plurality of signals with at least a second signal of said plurality of signals to determine if either said first signal or said second signal is invalid; and

computer code for signaling a rejection of any of said plurality of signals are found to be invalid.

Claim 16. (Cancelled)

Claim 17. A rear steering system for a vehicle comprising:

at least one actuator in operable communication with a pair of rear wheels;

a controller operably interconnected with said actuator; a
means for receiving a plurality of signals indicative of a rear steering angle
of said rear wheels:

means for checking at least one of said flurality of signals to determine if it falls outside a valid range and is invalid;

means for correlating at least a first signal of said plurality of signals with at least a second signal of said plurality of signals to determine if either said first signal or said second signal is invalid; and

means for signaling a rejection if any of said plurality of signals are found to be invalid.

Claim 18. A controller for a rear-wheel steering system, the controller comprising:

means for receiving a plurality of signers indicative of a rear steering angle;

means for checking at least one of said blurality of signals to determine if it falls outside a valid range and is invalid;

means for correlating at least a first signal of said plurality of signals with at least a second signal of said plurality of signals to determine if either said first signal or said second signal is invalid; and

means for signaling a rejection of any ill said plurality of signals are found to be invalid.

Claim 19. A controller for a rear-wheel steering system, the controller comprising:

at least one input terminal for receiving plurality of signals indicative of a rear steering angle;

at least one comparator for checking at least one of said plurality of signals to determine if it falls outside a valid range and is invalid;

at least one correlation function for correlating at least a first signal of said plurality of signals with at least a second signal of said plurality of signals to determine if either said first signal or said second signal is invalid; and

at least one output terminal for signaling a rejection if any of said plurality of signals are found to be invalid.

Claim 20. A method for determining a steering angle comprising:

receiving a plurality of signals indicative of said steering angle;

checking at least one of said plurality of signals to determine if it falls within a valid range;

correlating at least a first signal of said flurality of signals with at least a second signal of said plurality of signals to determine that neither said first signal nor said second signal is invalid;

determining a first value of said steering angle in accordance with said first signal; and

determining a second value of said steering angle in accordance with said first value of said steering angle and said second signal in order to obtain a more accurate measurement.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.